

wall48 tracks pricing example 1

Set incl. wall track, power supply unit and accessories

- 1 wall track (L=2000 mm)
- incl. mounting accessories (5 wall clips)
- power supply unit (Box Wall48190) incorporated into a design housing (48 V DC)
- The 230 V connection is at the same height as the track.

colour of track	€Euro
alumatt white	614,00
black	

picture lights & spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

						number of luminaire	9S
article no.	Wall48	Pend48	Ceiling48	In48	1	3	5
48-32151-442	•				493,00	1.479,00	
48-21251-431	•				479,00	1.437,00	2.395,00
48-22151-431	•				479,00	1.437,00	2.395,00
48-22351-431	•			•	505,00	1.515,00	2.525,00
48-11251-412	•				468,00	1.404,00	2.340,00
48-12151-412	•				468,00	1.404,00	2.340,00
48-12451-412	•			•	493,00	1.479,00	2.465,00
	48-32151-442 48-21251-431 48-22151-431 48-22351-431 48-11251-412 48-12151-412	48-32151-442 • 48-21251-431 • 48-22151-431 • 48-22351-431 • 48-12251-412 • 48-11251-412 •	48-32151-442 • 48-21251-431 • 48-22151-431 • 48-22351-431 • 48-22351-431 • 48-11251-412 • 48-12151-412 •	48-32151-442 • • • 48-21251-431 • • 48-22151-431 • • 48-22351-431 • • 48-1251-431 • • 48-1251-412 • •	48-32151-442 • </td <td>48-32151-442 • 493,00 48-21251-431 • 479,00 48-22151-431 • 479,00 48-22351-431 • • 505,00 48-12251-431 • • 468,00 48-12151-412 • • 468,00</td> <td>48-32151-442 • • 4493,00 1.479,00 48-21251-431 • • • • 48-22151-431 • • 4479,00 1.437,00 48-22351-431 • • 479,00 1.437,00 48-22351-431 • • 505,00 1.515,00 48-1251-431 • • • • 48-1251-431 • • • • 48-1251-432 • • • • 48-1251-412 • • • • 48-1251-412 • • • • 48-1251-412 • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • <td< td=""></td<></td>	48-32151-442 • 493,00 48-21251-431 • 479,00 48-22151-431 • 479,00 48-22351-431 • • 505,00 48-12251-431 • • 468,00 48-12151-412 • • 468,00	48-32151-442 • • 4493,00 1.479,00 48-21251-431 • • • • 48-22151-431 • • 4479,00 1.437,00 48-22351-431 • • 479,00 1.437,00 48-22351-431 • • 505,00 1.515,00 48-1251-431 • • • • 48-1251-431 • • • • 48-1251-432 • • • • 48-1251-412 • • • • 48-1251-412 • • • • 48-1251-412 • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • <td< td=""></td<>

Design: buschfeld Design

Price and Application Examples



wall48 tracks pricing example 2

Set incl. wall track, power supply unit and accessories

- 3 wall tracks (L=6000 mm)

- 1 angle connector 90° on inside, conductive, horizontal in vertical

- 1 linear connector, conductive

- power supply unit (Bigbox Wall481150) incorporated into a design housing (48 V DC).


- The 230 V connection is at the same height as the track.


picture lights & spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

							number of luminaire	S
	article no.	Wall48	Pend48	Ceiling48	In48	1	3	5
Ninety-Five side S	48-32151-442	•				493,00	1.479,00	2.465,00
Fifty XS	48-21251-431	•				479,00	1.437,00	2.395,00
Fifty side S	48-22151-431	•				479,00	1.437,00	2.395,00
Fifty side L	48-22351-431	•			•	505,00	1.515,00	2.525,00
Thirty-Five XS	48-11251-412	•				468,00	1.404,00	2.340,00
Thirty-Five side S	48-12151-412	•				468,00	1.404,00	2.340,00
Thirty-Five side L	48-12451-412	•			•	493,00	1.479,00	2.465,00






pend48 tracks pricing example 3

Set incl. pendant track, control gear and accessories

- 1 pendant track (L=2000 mm)
- 2 cable suspensions
- power supply unit (Box Pend48190) incorporatednto a design housing (48 V DC)
- recessed canopy
- lv stranded cable 1500 mm silver transparent



spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.


The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

						r	number of luminaires	5
	article no	Wall48	Pend48	Ceiling48	In48	1	3	5
Ninety-Five S	48-31151-442		•	•	•	493,00	1.479,00	
Fifty S	48-21151-431		•	•	•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	•	•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	•	•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	•	•	468,00	1.404,00	2.340,00

2404-223

All prices are recommended sales prices + VAT. Dimensions are quoted in millimetres, unless otherwise stated.


Price and Application Examples



pend48 tracks pricing example 4

Set incl. pendant track, control gear and accessories

- 3 pendant tracks (L=6000 mm)
- 1 angle connector 90°, conductive, with cord
- 1 linear connector, conductive, with cord
- 2 cable suspensions
- power supply unit (Bigbox Pend481150) incorporated into a design housing (48 V DC)
- recessed canopy
- lv stranded cable 1500 mm silver transparent




spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.


						r	number of luminaires	3
	article no	Wall48	Pend48	Ceiling48	In48	1	3	5
Ninety-Five S	48-31151-442		•	•	•	493,00	1.479,00	2.465,00
Fifty S	48-21151-431		•	•	•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	•	•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	•	•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	•	•	468,00	1.404,00	2.340,00



ceiling48 tracks pricing example 5

Set incl. ceiling track, power supply unit and accessories

- 1 ceiling track (L=2000 mm)
- 1 mounting set standard
- power supply unit (Box Ceiling48190) incorporated
- into a design housing (48 V DC)
- lv stranded cable 1500 mm



spots


Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

						,	number of luminaires	3
	article no	Wall48	Pend48	Ceiling48	In48	1	3	5
Ninety-Five S	48-31151-442		•	•	•	493,00	1.479,00	
Fifty S	48-21151-431		•	•	•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	•	•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	•	•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	•	•	468,00	1.404,00	2.340,00

All prices are recommended sales prices + VAT. Dimensions are quoted in millimetres, unless otherwise stated.


Design: buschfeld Design



ceiling48 tracks pricing example 6

Set incl. ceiling tracks, control gear and accessories

- 3 pendant tracks (L=6000 mm)
- 1 angle connector 90°, conductive
- 1 linear connector, conductive
- 3 mounting sets standard
- power supply unit (Bigbox Ceiling481150) incorporated into a design housing (48 V DC)
- lv stranded cable 1500 mm




spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.


						r	number of luminaires	5
	article no	Wall48	Pend48	Ceiling48	In48	1	3	5
Ninety-Five S	48-31151-442		•	•	٠	493,00	1.479,00	2.465,00
Fifty S	48-21151-431		•	•	•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	•	•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	•	•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	•	•	468,00	1.404,00	2.340,00



pend48 tracks with fabric cable pricing example

Set incl. pendant tracks, control gear and accessories

- 3 pendant tracks (L=2000 mm each)
- 1 power feed at end with fabric cable (L=2000 mm)
- 2 connecting cables (L=1500 mm) with 2 power feeds at end axial
- 6 cable suspensions
- control gear (Bigbox Pend48 I 150) in design housing (48 V DC) with fixtures for ceiling



spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.


The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

						nur	mber of luminaires	
	article no	Wall48	Pend48	Ceiling48	In48	1	3	5
Ninety-Five S	48-31151-442		•	•	•	493,00	1.479,00	2.465,00
Fifty S	48-21151-431		•	•	•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	•	•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	•	•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	•	•	468,00	1.404,00	2.340,00

All prices are recommended sales prices + VAT. Dimensions are quoted in millimetres, unless otherwise stated.

 \mathbb{C}

Design: buschfeld Design



pend48 tracks with fabric cable pricing example

Set incl. pendant tracks, control gear and accessories

- pendant tracks , bent
- 1 power feed
- 6 cable suspensions
- linear connector
- MW I 150 DC control gear for reccessed mounting (150 W, LWH 288 x 68 x 39 mm)
- flush-mounted ceiling box for cable feed
- connecting wire

*Note: Rondo48 is manufactured on a project basis, therefore a lower dealer discount applies.

spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.


			Pend48 Ceiling48		number of luminaire	S
	article no	Rondo48	In48	1	3	5
Ninety-Five S	48-31151-442	•	•	493,00	1.479,00	2.465,00
Fifty S	48-21151-431		•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	468,00	1.404,00	2.340,00

alumatt 1.697,00*
white
black

€ Euro

colour of track

9



blade wheel 1200x800

pendant luminaire


Ø=1200 mm, height 800 mm

Wheel consisting of a number of sections of track, incl. cable suspensions, power feed with screw contact and cable.

Standard: the luminaire modules are locked into place on the outer side of the track, plus luminaires and control gear. Other dimensions for the same price,

if height and diameter do not exceed 2000 mm.

48 V DC, 12.5 A



example with 9 rays


€ Euro



alumattwhiteblack

colour

5.100,00




blade wheel 350x3300

pendant luminaire

Ø=350 mm, height 3300 mm

Wheel consisting of a number of sections of track, incl. cable suspensions, power feed with screw contact and cable.

Standard: the luminaire modules are locked into place on the outer side of the track, plus luminaires and control gear. Other dimensions for the same price, if height and diameter do not exceed 4000 mm. 48 V DC, 12.5 A



example with 9 rays

€ Euro



alumattwhiteblack

colour

7.536,00

spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

				Starry	r	number of luminaires	3
	article no	Sphere	Square	Sky	1	3	5
Ninety-Five S	48-31151-442	•	•	•	493,00	1.479,00	2.465,00
Fifty S	48-21151-431		•	•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	•	468,00	1.404,00	2.340,00



All technical data and prices quoted refer to the status quo when the price list was put together. Given that developments are part of a continuing process, all data provided is also subject to change.




Ø 1560

sphere 1500

project-related luminaire, sphere-shaped

$\emptyset = 1500 \text{ mm}$

Sphere consisting of a number of curved sections of track, incl. cable suspensions, power feed with screw contact and cable Standard: the luminaire modules are locked into place on the outer side of the track, plus luminaires and control gear 48 V DC, 12.5 A



example with 9 rays


€ Euro



alumattwhiteblack

colour

7.385,00




sphere 2000

project-related luminaire, sphere-shaped

Ø=2000 mm

Sphere consisting of a number of curved sections of track, incl. cable suspensions, power feed with screw contact and cable standard: the luminaire modules are locked into place on the outer side of the track, plus luminaires and control gear 48 V DC, 12.5 A



example with 9 rays





colour

€ Euro

9.139,00


spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

				Starry	nu	umber of luminaires	
	article no	Sphere	Square	Sky	1	3	5
Ninety-Five S	48-31151-442	•	•	•	493,00	1.479,00	2.465,00
Fifty S	48-21151-431		•	•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	•	468,00	1.404,00	2.340,00





sphere 2000 x 3000


project-related luminaire

Ø=2000 mm, height 3000 mm Sphere consisting of a number of curved sections of track, incl. cable suspensions, power feed with screw contact and cable Standard: the luminaire modules are locked into place on the outer side of the track, plus luminaires and control gear 48 V DC, 12.5 A

colour

) alumatt

white black



example with 9 rays

€ Euro



10.906,00

2404-223

square grid-like matrix structure based on the shape of a square Each section of the grid structure 900 x 900 mm Rectangle with subdivisions, incl. cable suspension or ceiling adapters, power feed with screw contact and cable Ţ Luminaire modules are locked into place on the lower side of the track, plus luminaires and control gear 1800 48 V DC, 12.5 A € Euro example with 9 rays colour alumatt 3.346,00 white black 2:3 alumatt 2.664,00 white 800 black 1:4 900 2700


All prices are recommended sales prices + VAT. Dimensions are quoted in millimetres, unless otherwise stated.

spots


Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

				Starry	nı	umber of luminaires	
	article no	Sphere	Square	Sky	1	3	5
Ninety-Five S	48-31151-442	•	•	•	493,00	1.479,00	2.465,00
Fifty S	48-21151-431		•	•	479,00	1.437,00	2.395,00
Fifty XS	48-21251-431		•	•	479,00	1.437,00	2.395,00
Thirty-Five S	48-11151-412		•	•	468,00	1.404,00	2.340,00
Thirty-Five XS	48-11251-412		•	•	468,00	1.404,00	2.340,00



All technical data and prices quoted refer to the status quo when the price list was put together. Given that developments are part of a continuing process, all data provided is also subject to change.






star-shaped chandelier

Ø=4000 mm

Star with a various number of "rays", incl. cable suspension , power feed with screw contact and cable

Standard: the luminaire modules are locked into place on the lower side of the track, plus luminaires and control gear 48 V DC, 12.5 A



example with 9 rays


€ Euro



2.559,00



colour



starry sky

star-shaped project-related luminaire

Ø=4000 mm

Star with a various number of "rays", incl. cable suspension, power feed with screw contact and cable

Standard: the luminaire modules are locked into place on the lower side of the track, plus luminaires and control gear 48 V DC, 12.5 A

rays colour \in Euro \downarrow alumatt 4.256,00 \downarrow white \downarrow black

Starry Sky can be configured to create a variety of fascinating structures. Star-shaped connectors are available for 5-12 rays. Track lengths can be ordered as required. We are glad to help you achieve your design ideas. Simply send a sketch of your design to info@buschfeld.de

spots

Casambi lighting control, beam angle 36° and colour temperature 2700 K. The spotlights listed here all share the same features.

The regular price list, featuring a comprehensive product lineup of lights starting from page 57, provides detailed information on various light technical properties. This is where you can make the perfect selection for your customer based on their preferences. Accessories such as shades and Snap filters for lights with the Snap System are also available.

				Starry	nı	number of luminaires			
	article no	Sphere	Square	Sky	1	3	5		
Ninety-Five S	48-31151-442	•	•	•	493,00	1.479,00	2.465,00		
Fifty S	48-21151-431		•	•	479,00	1.437,00	2.395,00		
Fifty XS	48-21251-431		•	•	479,00	1.437,00	2.395,00		
Thirty-Five S	48-11151-412		•	•	468,00	1.404,00	2.340,00		
Thirty-Five XS	48-11251-412		•	•	468,00	1.404,00	2.340,00		



All technical data and prices quoted refer to the status quo when the price list was put together. Given that developments are part of a continuing process, all data provided is also subject to change.

all you need for showrooms





all you need showroom selection of buschfeld items

Buschfeld track structures and luminaires are brought together in this fixed selection for exhibitions to form a graceful installation. The tracks describe a very typical application: different mounting requirements for one track system. Our showcase includes a pendant track fitted with the very narrow Led Line uplight, leading in an arc to the wall and running vertically downwards.


The selection of luminaires guides you briefly through the Buschfeld portfolio. The luminaires are equipped with the latest technology. For many media (e.g. speakers, radio, led tapes) wireless connections to iPads, mobile phones, or other devices are already established in our everyday lives. For high-quality lighting, this has also been standard for years. Each Sense System luminaire is already equipped to be addressed by a device. "All You Need" can be pre-configured with a network, or you may install the Casambi lighting control yourself You can control the luminaires in the Casambi app, dim them in groups or discover further features or even welcome your customers to join in.

The choice of luminaires and their photometric features is an extensive topic in many customer meetings, which is why we show different luminaire sizes, colour temperature, Dim-To-Warm and the Soraa Snap System. The Snap Filters ensure maximum flexibility in counselling interview and in installation on site.

all you need

All You Need comprises a specific selection of tracks and luminaires from the Buschfeld product portfolio. This compilation is finely tuned and showcases the variations of the luminaires and their lighting features.

Please note that 'All You Need' serves exclusively as a showroom sample and cannot be altered in its product selection. A net special price applies.



20



Track structure

- Pend48 / Ceiling48 track, black
- 1 pendant track (L=2000 mm),
- 1 curved track (R=500 mm)
- 1 ceiling track (L=2000 mm), vertical

B System components

- 1 cable suspension (L=1500 mm)
- 1 linear connector with cable (L=1500 mm)
- 1 angle connector 90°, conductive, inside (50 mm)
- 1 mounting set Ceiling tracks, standard black

C Control gear

- Bigbox Pend/Ceiling48 I 150, power supply for visible mounting, design housing (48 V DC), black, PRI 90-305V | SEC 43-52 V, L 300 x W 120 x H 60 mm | 2,2 kg
- textile-coated cable (L=2000 mm), black
- safety plug, black, 3 pole

D Led Line

uplight module installed in the suspended track L=1400 mm, 3000 K, 54 W 3000 lm/m, 38 W/m, 79 lm/W, Ra 95 mit R9 > 55 beam angle 120°, incl. U-Turn feed and Casambi dimmer pre-installed

Ninety-Five S

spotlight with Casambi lighting control

3000 K, adapter hide, max. 20 W beam angle 9° Snap, for Soraa Snap System "Large" excellent colour stability, RA95 with shade Tube95, black



Fifty fix L

pendant luminaire with Casambi lighting control 2700K, adapter hide, max. 15 W beam angle 15° Snap, for Soraa Snap System "Small" L=1000mm, pendant with cable, black, Ø 2 mm excellent colour stability, RA95 with shade Tube50, black

G Fifty XS

spotlight with Casambi lighting control Dim-To-Warm 1800 K- 3000K, adapter hide, max. 15 W beam angle 15° Snap, for Soraa Snap System "Small" excellent colour stability, RA90 with shade Tube50, black

Ø Thirty-Five XS

spotlight with Casambi lighting control 2700K, adapter hide, max. 8,8 W beam angle 36° excellent colour stability, RA95 with shade Tube35, black


Samples Snap Filter "Large" beam angle circular 25°, 36°, 60° and honeycomb louver

Snap Filter "Small"


beam angle circular 25°, 36°, 60°, rectangular 36x36° beam angle oval 10 x 60° and honeycomb louver

Colour / surfaces black, white, alumatt, 1 custom colour

Mounting sets for pendant, ceiling and reccessed tracks




Learn more about All You Need on our website.



CASAMBI

Network - Plug and play Up on request the showroom package "All you need" can be supplied with a configured Casambi network.



Checklist

Order checklist for a Buschfeld Sense System, 48 Volt with lighting control.

Track structure

Determine the fastening and the course of the lighting tracks. System combinations are possible, 3-dimensional tracks, arch elements, as well as T-, cross and star connec tors can be used.

Top view or side view: With a sketch, you help us to better understand your lighting concept. Step by step we can clarify open questions together and get a good overview.

Note: track standard length is 2000 mm; Shortenings are possible on-site or on order.

Track colour / surface

Standard colors: alumatt, black, white, bronze Special colors are available on request.

DU	can	find	more	information	n on	our	website	Click	on	the	links	•

- Concept behind the walls track: Wall48 (Info / How it works)
- Pendant tracks: Pend48 (Info / How it works) Freestyler (product selection)
- Ceiling tracks: Ceiling48 (Info / How it works)
- Recessed tracks: In48 (Info / How it works)

Chandalier Rondo48 (Info / How it works)

- Froof
- Individual luminous object / eg. Birds' flight

Freeforms

Standard- and customized colours (Info / How it works)

3 Power feed (48 V)

For the power supply with 48 volts, we offer different possibilities of feeding: In a long track or a small separate component. The specific choice of power supply is necessary if your planning provides for a equipment that is not installed directly on the track.

Power feeds (sample selection)

All You Need: Net special price, no deductions, plus applicable VAT. For Showrooms only. Only in specified product composition, no changes allowed.

(2)

Checklist



Sense System Price List

The complete list of Buschfeld products can be found in the price lists. Sorted by lighting systems and product groups with information on colour selection, dimensions and article numbers.

Sense System price list 2024 (PDF)

Sense System questionnaire / project document (PDF)

buschfeld

Tel. +49 221 93764-0 Fax -79 info@buschfeld.de buschfeld Design GmbH Dillenburger Str. 97 D-51105 Köln www.buschfeld.de

b